ELSEVIER

19 June 1998

Chemical Physics Letters 289 (1998) 617–626

CHEMICAL PHYSICS LETTERS

Author index to volume 289

Adhikari, S. and G.D. Billing, The geometric phase effect on differential cross sections in chemical reactions: a classical mechanical approach 289 (1998) 219
Aebersold, M., see Andres, H. 289 (1998) 224
Aida, M., see Yamataka, H. 289 (1998) 105
Al-Shamery, K., see Eichhorn, G. 289 (1998) 367
Allington, J.W.R., see McCarthy, M.C. 289 (1998) 156
Alonso, J.A., L.M. Molina, M.J. López, A. Rubio and M.J. Stott, Ab initio calculations for mixed clusters of lead and alkali elements, and implications for the structure of their solid and liquid alloys 289 (1998) 451
Andres, H., M. Aebersold, H.U. Güdel, J.M. Clemente, E. Coronado, H. Büttner, G. Kearly and M. Zolliker, Anisotropic exchange coupling in the Keggin derivative $K_8[Co_2(D_2O)(W_{11}O_{39})] \cdot n\ D_2O$ 289 (1998) 224
Andresen, U., see Hansen, N. 289 (1998) 311
Anikin, M., see Efimov, A.V. 289 (1998) 572
Aoiz, F.J., B. Friedrich, V.J. Herrero, V. Sáez Rábanos and J.E. Verdasco, Effect of pendular orientation on the reactivity of H + DCl: a quasiclassical trajectory study 289 (1998) 132
Ariga, K., see Sakurai, M. 289 (1998) 567
Assel, M., R. Laenen and A. Laubereau, Ultrafast electron trapping in an aqueous NaCl-solution 289 (1998) 267

Bala, P., see Fedorowicz, A. 289 (1998) 457
Batistic, I., see Strouse, G.F. 289 (1998) 559
Bazhin, N.M., see Mamaev, A.L. 289 (1998) 247
Becker, K., see Foltin, V. 289 (1998) 181
Biemans, H.A.M., see Piet, J.J. 289 (1998) 13
Billing, G.D., see Adhikari, S. 289 (1998) 219
Birman, J.L., see Bulatov, A. 289 (1998) 261
Bishop, A.R., see Strouse, G.F. 289 (1998) 559
Brédas, J.L., see Comoretto, D. 289 (1998) 1
Brede, O., see Kluge, T. 289 (1998) 319
Brennetot, R. and J. Georges, Transient absorption of the probe beam by the erythrosine triplet in pulsed-laser thermal lens spectrometry: the influence of the solvent, oxygen and dye concentration 289 (1998) 19
Brown, S.D.M., see Cheng, H.M. 289 (1998) 602
Brownsword, R.A., C. Kappel, P. Schmiechen, H.P. Upadhyaya and H.-R. Volpp, Dynamics of the H + HCl gas-phase reaction: absolute reactive cross-section for $Cl(^2P_{3/2})$ atom formation 289 (1998) 241
Bruno, D., M. Capitelli and S. Longo, DSMC modelling of vibrational and chemical kinetics for a reacting gas mixture 289 (1998) 141

Bulatov, A., A. Kuklov and J.L. Birman, Effect of temporal noise on the single-electron transport in long molecules 289 (1998) 261
Bulusheva, L.G., see Okotrub, A.V. 289 (1998) 341
Buma, W.J. and F. Zerbetto, The large $1\,^1A_g^- - 2\,^1A_g^-$ C=C and C–C stretch vibronic interaction in all-trans polyenes 289 (1998) 118
Burshtein, A.I., I.V. Gopich and P.A. Frantsuzov, Accumulation and distribution of energy quenching products 289 (1998) 60
Butenko, Y.V., see Kuznetsov, V.L. 289 (1998) 353
Büttner, H., see Andres, H. 289 (1998) 224
Byszewski, P., see Lange, H. 289 (1998) 174

Campos-Martínez, J., E. Carmona-Novillo, J. Echave, M.I. Hernández, R. Hernández-Lamoneda and J. Palma, Jump in depletion rates of highly excited O_2: reaction or enhanced vibrational relaxation? 289 (1998) 150
Capitelli, M., see Bruno, D. 289 (1998) 141
Carmona-Novillo, E., see Campos-Martínez, J. 289 (1998) 150
Casanova, M., see Magnasco, V. 289 (1998) 81
Castillejo, M., S. Couris, E. Koudoumas and M. Martín, Subpicosecond ionization and dissociation of benzene and cyclic alkanes at 800 and 400 nm 289 (1998) 303
Cattaneo, P. and M. Persico, Semiclassical treatment of the photofragmentation of azomethane 289 (1998) 160
Cerullo, G., see Stagira, S. 289 (1998) 205
Chang, H.-C., see Jiang, J.C. 289 (1998) 373
Chang, J.-C., see Jiang, J.C. 289 (1998) 373
Chen, G., P.P. Ong and L. Ting, Influence of exchange distortion potential on electron impact excitation of B^+ 289 (1998) 428
Chen, Y.-J., see Stimson, S. 289 (1998) 507
Cheng, H.M., F. Li, X. Sun, S.D.M. Brown, M.A. Pimenta, A. Marucci, G. Dresselhaus and M.S. Dresselhaus, Bulk morphology and diameter distribution of single-walled carbon nanotubes synthesized by catalytic decomposition of hydrocarbons 289 (1998) 602
Chu, Y., G. Senn, S. Matejcik, P. Scheier, P. Stampfli, A. Stamatovic, E. Illenberger and T.D. Märk, Formation of NO^- following electron attachment to NO clusters 289 (1998) 521
Chuvilin, A.L., see Kuznetsov, V.L. 289 (1998) 353
Ciesielski, K., A.L. Dawidowicz, T. Goworek, B. Jasińska and J. Wawryszczuk, Positronium lifetimes in porous Vycor glass 289 (1998) 41
Clemente, J.M., see Andres, H. 289 (1998) 224
Collins, C., W. Kolodziejski, J. Foulkes and J. Klinowski, High-resolution ^{2}H solid-state NMR study of water intercalated in fullerene C_{60} 289 (1998) 338
Comoretto, D., G. Dellepiane, D. Moses, J. Cornil, D.A. dos Santos and J.L. Brédas, Polarized reflectivity spectra of stretch-oriented poly(*p*-phenylene-vinylene) 289 (1998) 1
Cornil, J., see Comoretto, D. 289 (1998) 1
Coronado, E., see Andres, H. 289 (1998) 224
Coropceanu, V.P. and K. Prassides, Group theoretical classification of electronic states in mixed-valence complexes 289 (1998) 53
Couris, S., see Castillejo, M. 289 (1998) 303
Czajka, A., see Markus, M. 289 (1998) 35

Da Silva, A.B.F., see Jorge, F.E. 289 (1998) 469
Dawidowicz, A.L., see Ciesielski, K. 289 (1998) 41

Deiderich, F., see Robinson, A.P.G. 289 (1998) 586
Dellepiane, G., see Comoretto, D. 289 (1998) 1
De Silvestri, S., see Stagira, S. 289 (1998) 205
De Smet, K., see Kędziora, P. 289 (1998) 541
Deutsch, H., see Foltin, V. 289 (1998) 181
Dick, B., see Keßler, A. 289 (1998) 516
Dong, J., see Gu, G. 289 (1998) 167
Doraiswamy, S., see Patwari, G.N. 289 (1998) 8
Dos Santos, D.A., see Comoretto, D. 289 (1998) 1
Dreizler, H., see Hansen, N. 289 (1998) 311
Dresselhaus, G., see Cheng, H.M. 289 (1998) 602
Dresselhaus, M.S., see Cheng, H.M. 289 (1998) 602
Du, Y., see Gu, G. 289 (1998) 167

Echave, J., see Campos-Martínez, J. 289 (1998) 150
Efimov, A.V., M. Anikin, N.V. Tkachenko, A.F. Mironov and H. Lemmetyinen, Irregular behavior of 5,10,15,20-tetrakis(pentafluorophenyl)porphyrin in Langmuir–Blodgett films 289 (1998) 572
Eichhorn, G., M. Richter, K. Al-Shamery and H. Zacharias, Time-correlated laser desorption of NO from NiO(100)/Ni(100) 289 (1998) 367
Evans, M., see Stimson, S. 289 (1998) 507

Fedorowicz, A., J. Mavri, P. Bala and A. Koll, Molecular dynamics study of the tautomeric equilibrium in the Mannich base 289 (1998) 457
Feng, K.-a., see Xiao, C. 289 (1998) 200
Feng, M., see Yan, M. 289 (1998) 298
Foltin, M., see Foltin, V. 289 (1998) 181
Foltin, V., M. Foltin, S. Matt, P. Scheier, K. Becker, H. Deutsch and T.D. Märk, Electron impact ionization of C_{60} revisited: corrected absolute cross section functions 289 (1998) 181
Foulkes, J., see Collins, C. 289 (1998) 338
Frantsuzov, P.A., see Burshtein, A.I. 289 (1998) 60
Friebel, J., see Zilker, S.J. 289 (1998) 553
Friedrich, B., see Aoiz, F.J. 289 (1998) 132
Fu, J., see Gu, G. 289 (1998) 167
Fujimura, Y., see Kawata, I. 289 (1998) 546

Gammel, J.T., see Strouse, G.F. 289 (1998) 559
Gangopadhyay, G. and S. Ghoshal, A thermal bath induced Rabi splitting on the profile of Mollow spectrum in single molecule spectroscopy 289 (1998) 287
Gangopadhyay, G. and Y. Tanimura, Absorption line shape of impurity molecule driven by a fractal noise 289 (1998) 97
Gao, K., see Yan, M. 289 (1998) 298
Geerlings, P., see Van Lier, G. 289 (1998) 591
Georges, J., see Brennetot, R. 289 (1998) 19
Ghoshal, S., see Gangopadhyay, G. 289 (1998) 287
Glasbeek, M., see Marks, D. 289 (1998) 535
Goddard, J.D., see Pitchko, V. 289 (1998) 391
Gómez, P.C., see Pacios, L.F. 289 (1998) 412
Gopich, I.V., see Burshtein, A.I. 289 (1998) 60

Gorte, R.J., see Šepa, J. 289 (1998) 281
Goworek, T., see Ciesielski, K. 289 (1998) 41
Grabow, J.-U., see Hansen, N. 289 (1998) 311
Graupner, W., see Stagira, S. 289 (1998) 205
Griffith, K.S., see McCarthy, M.C. 289 (1998) 156
Gu, G., H. Huang, S. Yang, P. Yu, J. Fu, G.K. Wong, X. Wan, J. Dong and Y. Du, The third-order non-linear optical response of the endohedral metallofullerene $Dy@C_{82}$ 289 (1998) 167
Güdel, H.U., see Andres, H. 289 (1998) 224
Guo, H., An efficient method to calculate resonance Raman amplitudes via polynomial propagation 289 (1998) 396
Gutakovskii, A.K., see Kuznetsov, V.L. 289 (1998) 353

Haarer, D., see Zilker, S.J. 289 (1998) 553
Halkides, C.J., see Humble, T.S. 289 (1998) 90
Han, K.-L., see Zhang, H. 289 (1998) 494
Hansen, N., U. Andresen, H. Dreizler, J.-U. Grabow, H. Mäder and F. Temps, Fourier transform microwave observation of SO ($X^3\Sigma$, $v = 0$–2) produced by 193 nm photodissociation of SO_2 in a pulsed supersonic jet expansion 289 (1998) 311
Haque Ansari, W. and N. Sathyamurthy, Classical mechanical investigation of collinear $H^- + H_2 \rightarrow H_2 + H^-$ dynamics 289 (1998) 487
Harris, K.D.M., see Nordon, A. 289 (1998) 25
Harris, R.K., see Nordon, A. 289 (1998) 25
He, G.-Z., see Zhang, H. 289 (1998) 494
He, Y., M. Hippler and M. Quack, High-resolution cavity ring-down absorption spectroscopy of nitrous oxide and chloroform using a near-infrared cw diode laser 289 (1998) 527
Heaven, M.C., see Kaledin, A.L. 289 (1998) 110
Heimann, P., see Stimson, S. 289 (1998) 507
Hellemans, L., see Kędziora, P. 289 (1998) 541
Hermansson, K., see Wojcik, M.C. 289 (1998) 211
Hernández-Lamoneda, R., see Campos-Martínez, J. 289 (1998) 150
Hernández, M.I., see Campos-Martínez, J. 289 (1998) 150
Herrero, V.J., see Aoiz, F.J. 289 (1998) 132
Hertel, I.V., see Ritze, H.-H. 289 (1998) 46
Hippler, M., see He, Y. 289 (1998) 527
Hirai, K., see Terazima, M. 289 (1998) 253
Hosokawa, T., see Nakayama, H. 289 (1998) 275
Hsu, C.-W., see Stimson, S. 289 (1998) 507
Huang, H., see Gu, G. 289 (1998) 167
Huczko, A., see Lange, H. 289 (1998) 174
Hughes, E., see Nordon, A. 289 (1998) 25
Humble, T.S., C.J. Halkides, J.D. Keltner and M. Messina, A theoretical study of intra-molecular vibrational effects on fractionation factors for molecules containing intra-molecular low-barrier hydrogen bonds 289 (1998) 90

Ichida, M., A. Nakamura, H. Shinohara and Y. Saitoh, Observation of triplet state of charge-transfer excitons in C_{60} thin film 289 (1998) 579
Illenberger, E., see Chu, Y. 289 (1998) 521
Inoue, Y., see Sakurai, M. 289 (1998) 567

Ishida, H., see Takabayashi, Y. 289 (1998) 193
Ishii, K., see Nakayama, H. 289 (1998) 275
Iwasa, Y., see Takabayashi, Y. 289 (1998) 193
Izawa, Y., see Kou, J. 289 (1998) 334

Jadżyn, J., see Kędziora, P. 289 (1998) 541
Jaffe, R.L., see Smith, G.D. 289 (1998) 480
Jasińska, B., see Ciesielski, K. 289 (1998) 41
Jena, P., see Nayak, S.K. 289 (1998) 473
Jiang, J.C., J.-C. Chang, B.-C. Wang, S.H. Lin, Y.T. Lee and H.-C. Chang, The free-OH stretching frequencies of 3-coordinated H_2O in water clusters and on ice surfaces 289 (1998) 373
Jiao, H., see Mo, Y. 289 (1998) 383
Jonas, U., see Robinson, A.P.G. 289 (1998) 586
Jorge, F.E. and A.B.F. da Silva, A segmented contraction methodology for Gaussian basis sets to be used in Dirac–Fock atomic and molecular calculations 289 (1998) 469
Jungwirth, P., Librational control of reactions in large clusters 289 (1998) 324

Kaledin, A.L., M.C. Heaven and K. Morokuma, Ab initio potential energy surfaces for the $I(^2P_{3/2}) + O_2(a\,^1\Delta_g) \Leftrightarrow I(^2P_{1/2}) + O_2(X\,^3\Sigma_g^-)$ energy transfer process 289 (1998) 110
Kanayama, T., see Robinson, A.P.G. 289 (1998) 586
Kapoor, H., see Kumar, S. 289 (1998) 361
Kappel, C., see Brownsword, R.A. 289 (1998) 241
Karlström, G., see Moriarty, N.W. 289 (1998) 442
Kashino, S., see Takabayashi, Y. 289 (1998) 193
Kato, M., Y. Nanba and Y. Taniguchi, Effect of water and deuterated water on Raman spectra of chloroacetone: evidence for the conformational effect on hydration 289 (1998) 30
Kato, Y., see Kou, J. 289 (1998) 334
Kawata, I., H. Kono and Y. Fujimura, Electronic and nuclear correlation dynamics of H_2^+ in an intense femtosecond laser pulse 289 (1998) 546
Kawato, S., see Kou, J. 289 (1998) 334
Kearly, G., see Andres, H. 289 (1998) 224
Kędziora, P., J. Jadżyn, K. De Smet and L. Hellemans, Nonlinear dielectric relaxation in non-interacting dipolar systems 289 (1998) 541
Keltner, J.D., see Humble, T.S. 289 (1998) 90
Kensy, U., see Keßler, A. 289 (1998) 516
Keßler, A., U. Kensy and B. Dick, NO product yield excitation spectrum of the $S_0 \rightarrow S_2$ transition of nitrosobenzene in a supersonic jet 289 (1998) 516
Khairulin, R.A., see Kuznetsov, V.L. 289 (1998) 353
Klinowski, J., see Collins, C. 289 (1998) 338
Kluge, T. and O. Brede, Photosensitized electron transfer from sterically hindered amines to the benzophenone triplet and its reversion in solvents of different polarity 289 (1998) 319
Koll, A., see Fedorowicz, A. 289 (1998) 457
Kolodziejski, W., see Collins, C. 289 (1998) 338
Kono, H., see Kawata, I. 289 (1998) 546
Kornweitz, H., A. Persky and R.D. Levine, The exoergic $F + CH_4$ reaction as an example of peripheral dynamics 289 (1998) 125
Korolev, V.V., see Mamaev, A.L. 289 (1998) 247

Kou, J., N. Nakashima, S. Sakabe, S. Kawato, H. Ueyama, T. Urano, T. Kuge, Y. Izawa and Y. Kato, C_{60}^{q+} ($q = 1, 2, 3, 4$) formation by intense femtosecond laser irradiation 289 (1998) 334
Koudoumas, E., see Castillejo, M. 289 (1998) 303
Kubozono, Y., see Takabayashi, Y. 289 (1998) 193
Kudin, K.N. and G.E. Scuseria, A fast multipole algorithm for the efficient treatment of the Coulomb problem in electronic structure calculations of periodic systems with Gaussian orbitals 289 (1998) 611
Kuge, T., see Kou, J. 289 (1998) 334
Kuklov, A., see Bulatov, A. 289 (1998) 261
Kulkarni, G.U., see Vinod, C.P. 289 (1998) 329
Kumar, S., H. Kapoor and N. Sathyamurthy, Dynamics of the reaction He + $H_2^+ \rightarrow HeH^+$ + H on the Aguado-Paniagua surface 289 (1998) 361
Kunitake, T., see Sakurai, M. 289 (1998) 567
Kuznetsov, V.L., A.L. Chuvilin, Y.V. Butenko, S.V. Stankus, R.A. Khairulin and A.K. Gutakovskii, Closed curved graphite-like structures formation on micron-size diamond 289 (1998) 353

Laenen, R., see Assel, M. 289 (1998) 267
Lange, H., A. Huczko, P. Byszewski, E. Mizera and H. Shinohara, Influence of boron on carbon arc plasma and formation of fullerenes and nanotubes 289 (1998) 174
Lanzani, G., see Stagira, S. 289 (1998) 205
Laubereau, A., see Assel, M. 289 (1998) 267
Lee, Y.T., see Jiang, J.C. 289 (1998) 373
Leising, G., see Stagira, S. 289 (1998) 205
Lemmetyinen, H., see Efimov, A.V. 289 (1998) 572
Levine, R.D., see Kornweitz, H. 289 (1998) 125
Li, F., see Cheng, H.M. 289 (1998) 602
Liao, C.-L., see Stimson, S. 289 (1998) 507
Lin, S.H., see Jiang, J.C. 289 (1998) 373
Lin, Z., see Mo, Y. 289 (1998) 383
Lin, Z., see Xiao, C. 289 (1998) 200
Lindh, R., see Moriarty, N.W. 289 (1998) 442
Longo, S., see Bruno, D. 289 (1998) 141
López, M.J., see Alonso, J.A. 289 (1998) 451
Losi, A. and C. Viappiani, Reaction volume and rate constants for the excited-state proton transfer in aqueous solutions of naphthols 289 (1998) 500
Lou, N.-Q., see Zhang, H. 289 (1998) 494
Luo, Y., On the scaling law of the second static hyperpolarizabilities of fullerenes 289 (1998) 350

Mäder, H., see Hansen, N. 289 (1998) 311
Magnasco, V., M. Casanova and A. Rapallo, On the evaluation of two-centre molecular integrals over an STO basis 289 (1998) 81
Mamaev, A.L., V.V. Korolev, N.M. Bazhin and S.V. Morozov, Luminescence quenching in geminate pairs 1,2,3,4-tetramethylnaphthalene–oxygen 289 (1998) 247
Märk, T.D., see Chu, Y. 289 (1998) 521
Märk, T.D., see Foltin, V. 289 (1998) 181
Marks, D., P. Prosposito, H. Zhang and M. Glasbeek, Femtosecond laser selective intramolecular double-proton transfer in [2,2′-bipyridyl]-3,3′-diol 289 (1998) 535

Markus, M. and A. Czajka, Oxygen-induced wavefront instabilities and disorder in the Belousov–Zhabotinsky reaction 289 (1998) 35
Maroulis, G., Hyperpolarizability of H_2O revisited: accurate estimate of the basis set limit and the size of electron correlation effects 289 (1998) 403
Martín, M., see Castillejo, M. 289 (1998) 303
Marucci, A., see Cheng, H.M. 289 (1998) 602
Matejcik, S., see Chu, Y. 289 (1998) 521
Matt, S., see Foltin, V. 289 (1998) 181
Mavri, J., see Fedorowicz, A. 289 (1998) 457
May, V., see Neugebauer, F. 289 (1998) 67
Mayne, H.R., see White, R.P. 289 (1998) 463
Mazziotti, D.A., Approximate solution for electron correlation through the use of Schwinger probes 289 (1998) 419
McCarthy, M.C., J.W.R. Allington and K.S. Griffith, An accurate ab initio calculation of the electron affinity of NO 289 (1998) 156
Meijer, E.W., see Piet, J.J. 289 (1998) 13
Messina, M., see Humble, T.S. 289 (1998) 90
Mironov, A.F., see Efimov, A.V. 289 (1998) 572
Mitani, T., see Takabayashi, Y. 289 (1998) 193
Mizera, E., see Lange, H. 289 (1998) 174
Mo, Y., H. Jiao, Z. Lin and P. von Ragué Schleyer, Application of the orbital deletion procedure (ODP) to planar carbocations 289 (1998) 383
Molina, L.M., see Alonso, J.A. 289 (1998) 451
Moriarty, N.W., R. Lindh and G. Karlström, Tetramethylene: A CASPT2 study 289 (1998) 442
Morokuma, K., see Kaledin, A.L. 289 (1998) 110
Morozov, S.V., see Mamaev, A.L. 289 (1998) 247
Moses, D., see Comoretto, D. 289 (1998) 1

Nakamura, A., see Ichida, M. 289 (1998) 579
Nakashima, N., see Kou, J. 289 (1998) 334
Nakayama, H., T. Hosokawa and K. Ishii, Fluorescence spectra and energy transfer in amorphous naphthalene 289 (1998) 275
Nanba, Y., see Kato, M. 289 (1998) 30
Nayak, S.K. and P. Jena, Anomalous magnetism in small Mn clusters 289 (1998) 473
Neugebauer, F. and V. May, Photodissociation of rare gas isolated HCl: a density matrix approach 289 (1998) 67
Ng, C.Y., see Stimson, S. 289 (1998) 507
Nisoli, M., see Stagira, S. 289 (1998) 205
Nordon, A., E. Hughes, R.K. Harris, L. Yeo and K.D.M. Harris, Direct measurement of the distance between adjacent guest molecules in a disordered solid inclusion compound using solid-state $^{19}F - {}^{1}H$ NMR spectroscopy 289 (1998) 25

Okotrub, A.V., L.G. Bulusheva and D. Tomanek, X-ray spectroscopic and quantum–chemical study of carbon tubes produced in arc-discharge 289 (1998) 341
Ong, P.P., see Chen, G. 289 (1998) 428
Ottinger, Ch. and G. Shen, A beam experiment on the energy transfer reaction $NO(a^4\Pi) + NO(X^2\Pi) \rightarrow NO(X^2\Pi) + NO(A^2\Sigma^+)$ 289 (1998) 231

Pacios, L.F. and P.C. Gómez, Ab initio study of BrO_3 isomers 289 (1998) 412
Palma, J., see Campos-Martínez, J. 289 (1998) 150
Palmer, R.E., see Robinson, A.P.G. 289 (1998) 586
Patwari, G.N., S. Doraiswamy and S. Wategaonkar, Hole-burning spectroscopy of jet-cooled hydroquinone 289 (1998) 8
Pearlstein, R.M., Phase diagram for the trapping kinetics of partially coherent excitons 289 (1998) 76
Persico, M., see Cattaneo, P. 289 (1998) 160
Persky, A., see Kornweitz, H. 289 (1998) 125
Personov, R.I., see Zilker, S.J. 289 (1998) 553
Philp, D., see Robinson, A.P.G. 289 (1998) 586
Piet, J.J., H.A.M. Biemans, J.M. Warman and E.W. Meijer, Rapid rotation of energy in the excited state of a circular hexa-carbazole array 289 (1998) 13
Pimenta, M.A., see Cheng, H.M. 289 (1998) 602
Pitchko, V. and J.D. Goddard, The biradical character of 1,2-dithiin and its valence isomers 289 (1998) 391
Prassides, K., see Coropceanu, V.P. 289 (1998) 53
Preece, J.A., see Robinson, A.P.G. 289 (1998) 586
Prosposito, P., see Marks, D. 289 (1998) 535

Quack, M., see He, Y. 289 (1998) 527

Radloff, W., see Ritze, H.-H. 289 (1998) 46
Rao, C.N.R., see Vinod, C.P. 289 (1998) 329
Rapallo, A., see Magnasco, V. 289 (1998) 81
Richter, M., see Eichhorn, G. 289 (1998) 367
Ritze, H.-H., W. Radloff and I.V. Hertel, Decay of the ammonia $\tilde{B}$ state due to nonadiabatic coupling 289 (1998) 46
Robinson, A.P.G., R.E. Palmer, T. Tada, T. Kanayama, J.A. Preece, D. Philp, U. Jonas and F. Deiderich, Electron beam induced fragmentation of fullerene derivatives 289 (1998) 586
Rubio, A., see Alonso, J.A. 289 (1998) 451

Sáez Rábanos, V., see Aoiz, F.J. 289 (1998) 132
Saitoh, Y., see Ichida, M. 289 (1998) 579
Sakabe, S., see Kou, J. 289 (1998) 334
Sakurai, M., H. Tamagawa, K. Ariga, T. Kunitake and Y. Inoue, Molecular dynamics simulation of water between hydrophobic surfaces. Implication for the long-range hydrophobic force 289 (1998) 567
Sathyamurthy, N., see Haque Ansari, W. 289 (1998) 487
Sathyamurthy, N., see Kumar, S. 289 (1998) 361
Saxena, A., see Strouse, G.F. 289 (1998) 559
Scheier, P., see Chu, Y. 289 (1998) 521
Scheier, P., see Foltin, V. 289 (1998) 181
Schmiechen, P., see Brownsword, R.A. 289 (1998) 241
Scott, B., see Strouse, G.F. 289 (1998) 559
Scuseria, G.E., see Kudin, K.N. 289 (1998) 611
Senn, G., see Chu, Y. 289 (1998) 521
Šepa, J., R.J. Gorte, B.H. Suits and D. White, Molecular motion of methyl rotor in a zeolite: proton NMR lineshapes of CH_3CN-^{2}HZSM-5 adsorption complex 289 (1998) 281
Shen, G., see Ottinger, Ch. 289 (1998) 231

Shinohara, H., see Ichida, M. 289 (1998) 579
Shinohara, H., see Lange, H. 289 (1998) 174
Smith, G.D., R.L. Jaffe and Do.Y. Yoon, Conformations of 1,2-dimethoxypropane and 5-methoxy-1,3-dioxane: are ab initio quantum chemistry predictions accurate? 289 (1998) 480
Stagira, S., M. Nisoli, G. Cerullo, M. Zavelani–Rossi, S. De Silvestri, G. Lanzani, W. Graupner and G. Leising, The role of amplified spontaneous emission in the ultrafast relaxation dynamics of polymer films 289 (1998) 205
Stamatovic, A., see Chu, Y. 289 (1998) 521
Stampfli, P., see Chu, Y. 289 (1998) 521
Stankus, S.V., see Kuznetsov, V.L. 289 (1998) 353
Stimson, S., Y.-J. Chen, M. Evans, C.-L. Liao, C.Y. Ng, C.-W. Hsu and P. Heimann, Rotational-resolved pulsed field ionization photoelectron bands for $H_2^+(X\,^2\Sigma_g^+,\ v^+ = 0, 2, 9$ and 11) 289 (1998) 507
Stott, M.J., see Alonso, J.A. 289 (1998) 451
Strouse, G.F., B. Scott, B.I. Swanson, A. Saxena, I. Batistic, J.T. Gammel and A.R. Bishop, Tuning dimensionality in low-dimensional electronic materials 289 (1998) 559
Suits, B.H., see Šepa, J. 289 (1998) 281
Sun, X., see Cheng, H.M. 289 (1998) 602
Swanson, B.I., see Strouse, G.F. 289 (1998) 559

Tada, T., see Robinson, A.P.G. 289 (1998) 586
Taga, S., see Takabayashi, Y. 289 (1998) 193
Takabayashi, Y., Y. Kubozono, S. Kashino, Y. Iwasa, S. Taga, T. Mitani, H. Ishida and K. Yamada, Preparation of NaC_{60} and its physical properties revealed by differential scanning calorimetry, ^{23}Na-NMR and ESR 289 (1998) 193
Tamagawa, H., see Sakurai, M. 289 (1998) 567
Taniguchi, Y., see Kato, M. 289 (1998) 30
Tanimura, Y., see Gangopadhyay, G. 289 (1998) 97
Temps, F., see Hansen, N. 289 (1998) 311
Terazima, M., K. Hirai and H. Tomioka, Translational diffusion of chemically active species: carbenes and carbonyl oxides 289 (1998) 253
Ting, L., see Chen, G. 289 (1998) 428
Tkachenko, N.V., see Efimov, A.V. 289 (1998) 572
Tomanek, D., see Okotrub, A.V. 289 (1998) 341
Tomioka, H., see Terazima, M. 289 (1998) 253

Ueyama, H., see Kou, J. 289 (1998) 334
Upadhyaya, H.P., see Brownsword, R.A. 289 (1998) 241
Urano, T., see Kou, J. 289 (1998) 334

Vainer, Yu.G., see Zilker, S.J. 289 (1998) 553
Van Lier, G. and P. Geerlings, Acidity and delocalisation of C_{70}-substituted hydrofullerenes: an ab initio quantum-chemical study 289 (1998) 591
Verdasco, J.E., see Aoiz, F.J. 289 (1998) 132
Viappiani, C., see Losi, A. 289 (1998) 500
Vinod, C.P., G.U. Kulkarni and C.N.R. Rao, Size-dependent changes in the electronic structure of metal clusters as investigated by scanning tunneling spectroscopy 289 (1998) 329

Volpp, H.-R., see Brownsword, R.A. 289 (1998) 241
Von Ragué Schleyer, P., see Mo, Y. 289 (1998) 383

Wan, X., see Gu, G. 289 (1998) 167
Wang, B.-C., see Jiang, J.C. 289 (1998) 373
Wang, Z.L. and J.S. Yin, Graphitic hollow carbon calabashes 289 (1998) 189
Warman, J.M., see Piet, J.J. 289 (1998) 13
Wategaonkar, S., see Patwari, G.N. 289 (1998) 8
Wawryszczuk, J., see Ciesielski, K. 289 (1998) 41
White, D., see Šepa, J. 289 (1998) 281
White, R.P. and H.R. Mayne, An investigation of two approaches to basin hopping minimization for atomic and molecular clusters 289 (1998) 463
Wojcik, M.C. and K. Hermansson, The problem of the detaching shell in the shell model potential for oxides 289 (1998) 211
Wong, G.K., see Gu, G. 289 (1998) 167
Woolf, T.B., Path corrected functionals of stochastic trajectories: towards relative free energy and reaction coordinate calculations 289 (1998) 433

Xiao, C., K.-a. Feng, Z. Lin and M. Zhang, Local nucleation of diamond heteroepitaxy on Si(100) in the initial stage and the role of atomic hydrogen 289 (1998) 200

Yamada, K., see Takabayashi, Y. 289 (1998) 193
Yamataka, H. and M. Aida, An ab initio MO study on the hydrolysis of methyl chloride with explicit consideration of 13 water molecules 289 (1998) 105
Yan, M., M. Feng, K. Gao and X. Zhu, Charge transfer of Ti^{4+} with Ar and N_2 at electron-volt energy 289 (1998) 298
Yang, S., see Gu, G. 289 (1998) 167
Yeo, L., see Nordon, A. 289 (1998) 25
Yin, J.S., see Wang, Z.L. 289 (1998) 189
Yoon, Do.Y., see Smith, G.D. 289 (1998) 480
Yu, P., see Gu, G. 289 (1998) 167

Zacharias, H., see Eichhorn, G. 289 (1998) 367
Zavelani–Rossi, M., see Stagira, S. 289 (1998) 205
Zerbetto, F., see Buma, W.J. 289 (1998) 118
Zhang, H., K.-L. Han, G.-Z. He and N.-Q. Lou, Wavepacket-shaping by a frequency-chirping technique 289 (1998) 494
Zhang, H., see Marks, D. 289 (1998) 535
Zhang, M., see Xiao, C. 289 (1998) 200
Zhu, X., see Yan, M. 289 (1998) 298
Zilker, S.J., J. Friebel, D. Haarer, Yu.G. Vainer and R.I. Personov, Investigation of low-temperature line broadening mechanisms in organic amorphous solids with photon echo, hole-burning and single-molecule spectroscopy 289 (1998) 553
Zolliker, M., see Andres, H. 289 (1998) 224